ELSEVIER

Brain Research 692 (1995) 287–288

BRAIN RESEARCH

Author Index

Adachi, H., see Sato, Y. (692) 66
Agid, Y., see Thibaut, F. (692) 233
Akasaka, K., Nasu, T., Katayama, T. and Murakami, N.
Development of regulation of melatonin release in pineal cells in chick embryo (692) 283
Ala, T.A., see Thorne, R.G. (692) 278

Benington, J.H., Kodali, S.K. and Heller, H.C.
Stimulation of A_1 adenosine receptors mimics the electroencephalographic effects of sleep deprivation (692) 79
Benington, J.H., Woudenberg, M.C. and Heller, H.C.
Apamin, a selective SK potassium channel blocker, suppresses REM sleep without a compensatory rebound (692) 86
Benrabh, H., Bourre, J.-M. and Lefauconnier, J.-M.
Taurine transport at the blood-brain barrier: an in vivo brain perfusion study (692) 57
Biegel, D., Spencer, D.D. and Pachter, J.S.
Isolation and culture of human brain microvessel endothelial cells for the study of blood–brain barrier properties in vitro (692) 183
Bigl, V., see Härtig, W. (692) 215
Bjørkum, A.A., Bjorvatn, B., Neckelmann, D. and Ursin, R.
Sleep effects following intrathecal administration of the 5-HT_{1A} agonist 8-OH-DPAT and the NMDA antagonist AP-5 in rats (692) 251
Bjorvatn, B., see Bjørkum, A.A. (692) 251
Boldry, R.C., Papa, S.M., Kask, A.M. and Chase, T.N.
MK-801 reverses effects of chronic levodopa on D1 and D2 dopamine agonist-induced rotational behavior (692) 259
Bourre, J.-M., see Benrabh, H. (692) 57
Brauer, K., see Härtig, W. (692) 215
Brewer, M.T., see Watkins, L.R. (692) 244
Brown, H.E., see Garcia, M.M. (692) 23
Brückner, G., see Härtig, W. (692) 215
Burgos, I., Cuello, A.C., Liberini, P., Pioro, E. and Masliah, E.
NGF-mediated synaptic sprouting in the cerebral cortex of lesioned primate brain (692) 154

Caine, S.B., Heinrichs, S.C., Coffin, V.L. and Koob, G.F.
Effects of the dopamine D-1 antagonist SCH 23390 microinjected into the accumbens, amygdala or striatum on cocaine self-administration in the rat (692) 47
Chase, T.N., see Boldry, R.C. (692) 259
Coffin, V.L., see Caine, S.B. (692) 47
Copolov, D.L., see Yang, Z. (692) 129
Cuello, A.C., see Burgos, I. (692) 154
Cunnick, J.E., see Goodwin, J.L. (692) 207

Davis, R.E., see Lipinski, W.J. (692) 143
Di Paolo, T., see Rivest, R. (692) 269

Emery, D.G. and Lucas, J.H.
Ultrastructural damage and neuritic beading in cold-stressed spinal neurons with comparisons to NMDA and A23187 toxicity (692) 161
Emory, C.R., see Thorne, R.G. (692) 278

Falardeau, P., see Rivest, R. (692) 269
Faucheux, B.A., see Thibaut, F. (692) 233
Ferrer, I., Soriano, M.A., Vidal, A. and Planas, A.M.
Survival of parvalbumin-immunoreactive neurons in the gerbil hippocampus following transient forebrain ischemia does not depend on HSP-70 protein induction (692) 41
Foster, G.A., see Kikvadze, I. (692) 111
Frey II, W.H., see Thorne, R.G. (692) 278
Fritschy, J.-M., see Härtig, W. (692) 215
Furukawa, T., see Shibata, K. (692) 71

Gannon, R.L., see Weber, E.T. (692) 137
Garcia, M.M., Brown, H.E. and Harlan, R.E.
Alterations in immediate-early gene proteins in the rat forebrain induced by acute morphine injection (692) 23
Garcia, M.M., see Harlan, R.E. (692) 1
Gillette, M.U., see Weber, E.T. (692) 137
Goehler, L.E., see Watkins, L.R. (692) 244
Goodwin, J.L., Uemura, E. and Cunnick, J.E.
Microglial release of nitric oxide by the synergistic action of β-amyloid and IFN-γ (692) 207

Harlan, R.E. and Garcia, M.M.
Charting of Jun family member proteins in the rat forebrain and midbrain: immunocytochemical evidence for a new Jun-related antigen (692) 1
Harlan, R.E., see Garcia, M.M. (692) 23
Härtig, W., Brauer, K., Fritschy, J.-M., Brückner, G. and Bigl, V.
Regional and cellular expression sites of the α_1 subunit of $GABA_A$ receptors in the rat basal forebrain: a cytochemical study with glutamic acid decarboxylase, choline acetyltransferase, calcium-binding proteins and nitric oxide synthase as second markers (692) 215
Heinrichs, S.C., see Caine, S.B. (692) 47
Heller, H.C., see Benington, J.H. (692) 79
Heller, H.C., see Benington, J.H. (692) 86
Hertting, G., see Lauth, D. (692) 174
Hilliard, M., see Lipinski, W.J. (692) 143
Hirsch, E.C., see Thibaut, F. (692) 233
Honmou, O., Oyelese, A.A. and Kocsis, J.D.
The anticonvulsant gabapentin enhances promoted release of GABA in hippocampus: a field potential analysis (692) 273
Hori, T., see Oka, T. (692) 123
Horita, H., see Sato, Y. (692) 66
Hosoi, M., see Oka, T. (692) 123
Huxlin, K.R.
NADPH-diaphorase expression in neurons and glia of the normal adult rat retina (692) 195

Invernizzi, R., see Pozzi, L. (692) 265

Jackisch, R., see Lauth, D. (692) 174

Kask, A.M., see Boldry, R.C. (692) 259
Katayama, T., see Akasaka, K. (692) 283
Kato, R., see Sato, Y. (692) 66
Kikvadze, I. and Foster, G.A.
Action potential-dependent output of 5-hydroxytryptamine in the anaesthetized rat amygdalopiriform cortex is strongly inhibited by tonic 5-HT_{1B}-receptor stimulation (692) 111
Kim, H.K., see Wu, G. (692) 118
Kocsis, J.D., see Honmou, O. (692) 273
Kodali, S.K., see Benington, J.H. (692) 79
Komatsu, C., see Shibata, K. (692) 71

Koob, G.F., see Caine, S.B. (692) 47
Kornetsky, C., see Livezey, R.T. (692) 93
Kumamoto, Y., see Sato, Y. (692) 66

Lauth, D., Hertting, G. and Jackisch, R.
3,4-Diaminopyridine-evoked noradrenaline release in rat hippocampal slices: facilitation by endogenous or exogenous nitric oxide (692) 174
Lefauconnier, J.-M., see Benrabh, H. (692) 57
Li, Y., see Rosenberg, P.A. (692) 227
Liberini, P., see Burgos, I. (692) 154
Lim, A.T., see Yang, Z. (692) 129
Lipinski, W.J., Rusiniak, K.W., Hilliard, M. and Davis, R.E.
Nerve growth factor facilitates conditioned taste aversion learning in normal rats (692) 143
Livezey, R.T., Pearce, L.B. and Kornetsky, C.
The effect of MK-801 and SCH23390 on the expression and sensitization of morphine-induced oral stereotypy (692) 93
Lucas, J.H., see Emery, D.G. (692) 161

Ma, W. and Ribeiro-da-Silva, A.
Substance P- and GABA-like immunoreactivities are co-localized in axonal varicosities in the superficial laminae of cat but not rat spinal cord (692) 99
Maier, S.F., see Watkins, L.R. (692) 244
Marquez, J., see Thibaut, F. (692) 233
Masliah, E., see Burgos, I. (692) 154
Menard, J.F., see Thibaut, F. (692) 233
Michel, A.M., see Weber, E.T. (692) 137
Miller, R.F., see Yu, W. (692) 190
Misumi, Y., see Shibata, K. (692) 71
Murakami, N., see Akasaka, K. (692) 283

Nasu, T., see Akasaka, K. (692) 283
Neckelmann, D., see Bjørkum, A.A. (692) 251

Oka, K., see Oka, T. (692) 123
Oka, T., Oka, K., Hosoi, M. and Hori, T.
Intracerebroventricular injection of interleukin-6 induces thermal hyperalgesia in rats (692) 123
Oyelese, A.A., see Honmou, O. (692) 273

Pachter, J.S., see Biegel, D. (692) 183
Papa, S.M., see Boldry, R.C. (692) 259
Pearce, L.B., see Livezey, R.T. (692) 93
Pioro, E., see Burgos, I. (692) 154
Planas, A.M., see Ferrer, I. (692) 41
Pozzi, L., Trabace, L., Invernizzi, R. and Samanin, R.
Intranigral GR-113808, a selective 5-HT_4 receptor antagonist, attenuates morphine-stimulated dopamine release in the rat striatum (692) 265

Rea, M.A., see Weber, E.T. (692) 137
Relton, J., see Watkins, L.R. (692) 244
Ribeiro-da-Silva, A., see Ma, W. (692) 99
Rivest, R., Falardeau, P. and Di Paolo, T.
Brain dopamine transporter: gender differences and effect of chronic haloperidol (692) 269
Rosenberg, P.A. and Li, Y.
Adenylyl cyclase activation underlies intracellular cyclic AMP accumulation, cyclic AMP transport, and extracellular adenosine accumulation evoked by β-adrenergic receptor stimulation in mixed cultures of neurons and astrocytes derived from rat cerebral cortex (692) 227
Rusiniak, K.W., see Lipinski, W.J. (692) 143

Samanin, R., see Pozzi, L. (692) 265
Sato, Y., Wada, H., Horita, H., Suzuki, N., Shibuya, A., Adachi, H., Kato, R., Tsukamoto, T. and Kumamoto, Y.
Dopamine release in the medial preoptic area during male copulatory behavior in rats (692) 66
Shibata, K., Komatsu, C., Misumi, Y. and Furukawa, T.
Dexamethasone down-regulates the expression of endothelin B receptor mRNA in the rat brain (692) 71
Shibuya, A., see Sato, Y. (692) 66
Soriano, M.A., see Ferrer, I. (692) 41
Spencer, D.D., see Biegel, D. (692) 183
Suzuki, N., see Sato, Y. (692) 66

Thibaut, F., Faucheux, B.A., Marquez, J., Villares, J., Menard, J.F., Agid, Y. and Hirsch, E.C.
Regional distribution of monoamine vesicular uptake sites in the mesencephalon of control subjects and patients with Parkinson's disease: a postmortem study using tritiated tetrabenazine (692) 233
Thorne, R.G., Emory, C.R., Ala, T.A. and Frey II, W.H.
Quantitative analysis of the olfactory pathway for drug delivery to the brain (692) 278
Trabace, L., see Pozzi, L. (692) 265
Tsukamoto, T., see Sato, Y. (692) 66

Uemura, E., see Goodwin, J.L. (692) 207
Ursin, R., see Bjørkum, A.A. (692) 251

Vidal, A., see Ferrer, I. (692) 41
Villares, J., see Thibaut, F. (692) 233

Wada, H., see Sato, Y. (692) 66
Watkins, L.R., Goehler, L.E., Relton, J., Brewer, M.T. and Maier, S.F.
Mechanisms of tumor necrosis factor-α (TNF-α) hyperalgesia (692) 244
Weber, E.T., Gannon, R.L., Michel, A.M., Gillette, M.U. and Rea, M.A.
Nitric oxide synthase inhibitor blocks light-induced phase shifts of the circadian activity rhythm, but not c-*fos* expression in the suprachiasmatic nucleus of the Syrian hamster (692) 137
Woudenberg, M.C., see Benington, J.H. (692) 86
Wu, G., Kim, H.K. and Zornow, M.H.
Transient brain ischemia in rabbits: the effect of ω-conopeptide MVIIC on hippocampal excitatory amino acids (692) 118

Yang, Z., Copolov, D.L. and Lim, A.T.
Glutamate enhances the adenylyl cyclase-cAMP system-induced beta-endorphin secretion and POMC mRNA expression in rat hypothalamic neurons in culture: NMDA receptor-mediated modulation (692) 129
Yu, W. and Miller, R.F.
NBQX, an improved non-NMDA antagonist studied in retinal ganglion cells (692) 190

Zornow, M.H., see Wu, G. (692) 118